



Thule Rapid System Kit 1186

> Instructions

HYUNDAI Accent, 3-dr Hatchback, 00-02, 03-05

HYUNDAI Accent, 4-dr Sedan, 00-01, 02-05

HYUNDAI Accent, 5-dr Hatchback, 00-02, 03-05

HYUNDAI Verna, 3-dr Hatchback, 00-01, 02-05

HYUNDAI Verna, 4-dr Sedan, 00-01, 02-05

HYUNDAI Verna, 5-dr Hatchback, 00-01, 02-05

The diagram illustrates the installation process and safety requirements for the Thule Rapid System Kit 1186. It is divided into several sections:

- Document Flow:** A dashed box shows a person reading a document. An arrow points from a document labeled 'B' (Thule Rapid System Kit 1186) to another labeled 'A' (Thule Rapid System 754). A pencil is shown writing on a document.
- Weight Limits:** Two equations show the maximum weight capacity:
 - xx kg / xx lbs + 7 kg / 15,4 lbs = Max. 75 kg / Max. 165 lbs
 - xx kg / xx lbs + 7 kg / 15,4 lbs + 3 kg / 6,6 lbs = Max. 50 kg / Max. 110 lbs
- Speed Restrictions:** A speedometer graphic shows a warning triangle at 80 km/h (50 Mph). Below it, a car diagram shows arrows indicating the load position, with a speedometer showing a warning triangle at 40 km/h (25 Mph).
- Additional Documents:** A section shows a person reading documents labeled 'A', 'B', and 'Safety', with a 'Index' table.

ISO 11154-E

141186


C.20150501
519-1186-01

Bring your life
thule.com



148 x4

19 x4





x1



x1

1


	X (scale)	X (mm)	X (inch)
HYUNDAI Accent , 3-dr Hatchback, 00-02, 03-05	29,5	946	37 1/4
HYUNDAI Accent , 4-dr Sedan, 00-01, 02-05	29,5	946	37 1/4
HYUNDAI Accent , 5-dr Hatchback, 00-02, 03-05	29,5	946	37 1/4
HYUNDAI Verna , 3-dr Hatchback, 00-01, 02-05	29,5	946	37 1/4
HYUNDAI Verna , 4-dr Sedan, 00-01, 02-05	29,5	946	37 1/4
HYUNDAI Verna , 5-dr Hatchback, 00-01, 02-05	29,5	946	37 1/4



	Y (scale)	Y (mm)	Y (inch)
HYUNDAI Accent , 3-dr Hatchback, 00-02, 03-05	29,5	946	37 1/4
HYUNDAI Accent , 4-dr Sedan, 00-01, 02-05	30	951	37 1/2
HYUNDAI Accent , 5-dr Hatchback, 00-02, 03-05	30	951	37 1/2
HYUNDAI Verna , 3-dr Hatchback, 00-01, 02-05	29,5	946	37 1/4
HYUNDAI Verna , 4-dr Sedan, 00-01, 02-05	30	951	37 1/2
HYUNDAI Verna , 5-dr Hatchback, 00-01, 02-05	30	951	37 1/2


2

SRA



HYUNDAI Accent, 3-dr Hatchback, 00-02, 03-05

HYUNDAI Verna, 3-dr Hatchback, 00-01, 02-05





HYUNDAI Accent, 4-dr Sedan, 00-01, 02-05


HYUNDAI Verna, 4-dr Sedan, 00-01, 02-05

HYUNDAI Accent, 5-dr Hatchback, 00-02, 03-05


HYUNDAI Verna, 5-dr Hatchback, 00-01, 02-05



3



	W (mm)	Z (mm)	Y (mm)	W (inch)	Z (inch)	Y (inch)
HYUNDAI Accent , 3-dr Hatchback, 00-02, 03-05	230	700	400	9	27 1/2	15 3/4
HYUNDAI Verna , 3-dr Hatchback, 00-01, 02-05	230	700	400	9	27 1/2	15 3/4



	W (mm)	Z (mm)	W (inch)	Z (inch)
HYUNDAI Accent , 4-dr Sedan, 00-01, 02-05	230	670	9	26 3/8
HYUNDAI Accent , 5-dr Hatchback, 00-02, 03-05	230	670	9	26 3/8
HYUNDAI Verna , 4-dr Sedan, 00-01, 02-05	230	670	9	26 3/8
HYUNDAI Verna , 5-dr Hatchback, 00-01, 02-05	230	670	9	26 3/8

