





Thule Rapid System Kit 1597

> Instructions

VOLKSWAGEN Jetta, 4-dr Sedan (MK5), 05-10

VOLKSWAGEN GLI, 4-dr Sedan (MK5), *08-10


*North America




ISO 11154-E




137 x2



163 x1




164 x1



1087 x2




1108 x2



50993





x1



x1

1

	X (scale)	X (mm)	X (inch)
VOLKSWAGEN Jetta , 4-dr Sedan (MK5), 05-10	38,5	1036	40 ³ / ₄
VOLKSWAGEN GLI , 4-dr Sedan (MK5), *08-10	38,5	1036	40 ³ / ₄





	Y (scale)	Y (mm)	Y (inch)
VOLKSWAGEN Jetta , 4-dr Sedan (MK5), 05-10	35	1001	39 ³ / ₈
VOLKSWAGEN GLI , 4-dr Sedan (MK5), *08-10	35	1001	39 ³ / ₈


2

VOLKSWAGEN Jetta, 4-dr Sedan (MK5), 05-10

VOLKSWAGEN GLI, 4-dr Sedan (MK5), *08-10



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
VOLKSWAGEN Jetta , 4-dr Sedan (MK5), 05-10	320	725	12 ⁵/₈	28 ¹/₄
VOLKSWAGEN GLI , 4-dr Sedan (MK5), *08-10	320	725	12 ⁵/₈	28 ¹/₄

